

2013 NONPUBLIC REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 377 high school students in Nonpublic Region during February of 2013. Frequency distributions may not total 377 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	1	0.27%
B.	13 years old	0	0.00%
C.	14 years old	37	9.95%
D.	15 years old	102	27.42%
E.	16 years old	76	20.43%
F.	17 years old	96	25.81%
G.	18 years old or older	60	16.13%
	TOTALS	372	100.00%
Q-2. What is your sex?			
A.	Female	191	51.62%
B.	Male	179	48.38%
	TOTALS	370	100.00%
Q-3. In what grade are you?			
A.	9th grade	105	28.46%
B.	10th grade	80	21.68%
C.	11th grade	93	25.20%
D.	12th grade	89	24.12%
E.	Ungraded or other grade	2	0.54%
	TOTALS	369	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	28	7.65%
B.	No	338	92.35%
	TOTALS	366	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	47	12.60%
B.	Asian	12	3.22%
C.	Black or African American	8	2.14%
D.	Native Hawaiian or Other Pacific Islander	4	1.07%
E.	White	302	80.97%
	TOTALS	373	100.00%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	0	0.00%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	7	1.87%
D.	5ft, 1in to 5ft, 6in	149	39.73%
E.	Over 5ft, 6in	219	58.40%
	TOTALS	375	100.00%
Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	2	0.54%
B.	90-99 lbs	5	1.34%
C.	100-109 lbs	24	6.43%
D.	110-119lbs	43	11.53%
E.	120-129 lbs	52	13.94%
F.	130-139 lbs	42	11.26%
G.	lbs +	205	54.96%
	TOTALS	373	100.00%
Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
A.	I did not ride a bicycle during the past 12 months	138	36.80%
B.	Never wore a helmet	133	35.47%
C.	Rarely wore a helmet	31	8.27%
D.	Sometimes wore a helmet	29	7.73%
E.	Most of the time wore a helmet	16	4.27%
F.	Always wore a helmet	28	7.47%
	TOTALS	375	100.00%
Q-9. How often do you wear your seat belt when riding in a car driven by someone else?			
A.	Never	11	3.00%
B.	Rarely	26	7.08%
C.	Sometimes	38	10.35%
D.	Most of the time	85	23.16%
E.	Always	207	56.40%
	TOTALS	367	100.00%
Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	62	16.62%
B.	Never	14	3.75%
C.	Rarely	14	3.75%
D.	Sometimes	24	6.43%
E.	Most of the time	43	11.53%
F.	Always	216	57.91%
	TOTALS	373	100.00%

Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	282	76.42%
B.	1 time	34	9.21%
C.	2 or 3 times	25	6.78%
D.	4 or 5 times	6	1.63%
E.	6 or more times	22	5.96%
TOTALS		369	100.00%
Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	94	25.27%
B.	0 times	241	64.78%
C.	1 time	14	3.76%
D.	2 or 3 times	8	2.15%
E.	4 or 5 times	4	1.08%
F.	6 or more times	11	2.96%
TOTALS		372	100.00%
Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	78	21.08%
B.	0 days	103	27.84%
C.	1 or 2 days	44	11.89%
D.	3 to 5 days	26	7.03%
E.	6 to 9 days	27	7.30%
F.	10 to 19 days	23	6.22%
G.	20 to 29 days	16	4.32%
H.	All 30 days	53	14.32%
TOTALS		370	100.00%
Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	79	21.29%
B.	0 days	92	24.80%
C.	1 or 2 days	51	13.75%
D.	3 to 5 days	38	10.24%
E.	6 to 9 days	25	6.74%
F.	10 to 19 days	34	9.16%
G.	20 to 29 days	18	4.85%
H.	All 30 days	34	9.16%
TOTALS		371	100.00%

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	304	82.61%
B.	1 day	17	4.62%
C.	2 or 3 days	11	2.99%
D.	4 or 5 days	3	0.82%
E.	6 or more days	33	8.97%
TOTALS		368	100.00%
Q-16. During the past 30 days, on how many days did you carry a gun?			
A.	0 days	338	91.35%
B.	1 day	12	3.24%
C.	2 or 3 days	7	1.89%
D.	4 or 5 days	4	1.08%
E.	6 or more days	9	2.43%
TOTALS		370	100.00%
Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	352	93.87%
B.	1 day	4	1.07%
C.	2 or 3 days	6	1.60%
D.	4 or 5 days	4	1.07%
E.	6 or more days	9	2.40%
TOTALS		375	100.00%
Q-18. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?			
A.	0 times	290	77.54%
B.	1 time	35	9.36%
C.	2 or 3 times	27	7.22%
D.	4 or 5 times	8	2.14%
E.	6 or 7 times	3	0.80%
F.	8 or 9 times	2	0.53%
G.	10 or 11 times	1	0.27%
H.	12 or more times	8	2.14%
TOTALS		374	100.00%
Q-19. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	357	95.45%
B.	1 day	6	1.60%
C.	2 or 3 days	5	1.34%
D.	4 or 5 days	3	0.80%
E.	6 or more days	3	0.80%
TOTALS		374	100.00%

Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	356	94.68%
B.	1 time	11	2.93%
C.	2 or 3 times	3	0.80%
D.	4 or 5 times	1	0.27%
E.	6 or 7 times	1	0.27%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	1.06%
TOTALS		376	100.00%

Q-21. During the past 12 months, how many times were you in a physical fight?

A.	0 times	297	79.62%
B.	1 time	35	9.38%
C.	2 or 3 times	22	5.90%
D.	4 or 5 times	4	1.07%
E.	6 or 7 times	3	0.80%
F.	8 or 9 times	2	0.54%
G.	10 or 11 times	3	0.80%
H.	12 or more times	7	1.88%
TOTALS		373	100.00%

Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

A.	0 times	360	97.83%
B.	1 time	4	1.09%
C.	2 or 3 times	2	0.54%
D.	4 or 5 times	1	0.27%
E.	6 or more times	1	0.27%
TOTALS		368	100.00%

Q-23. During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	347	93.28%
B.	1 time	15	4.03%
C.	2 or 3 times	4	1.08%
D.	4 or 5 times	1	0.27%
E.	6 or 7 times	3	0.81%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	2	0.54%
TOTALS		372	100.00%

Q-24. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	31	8.31%
B.	No	342	91.69%
TOTALS		373	100.00%
Q-25. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	124	33.16%
B.	0 times	227	60.70%
C.	1 time	7	1.87%
D.	2 or 3 times	6	1.60%
E.	4 or 5 times	4	1.07%
F.	6 or more times	6	1.60%
TOTALS		374	100.00%
Q-26. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	112	29.95%
B.	0 times	236	63.10%
C.	1 time	12	3.21%
D.	2 or 3 times	6	1.60%
E.	4 or 5 times	2	0.53%
F.	6 or more times	6	1.60%
TOTALS		374	100.00%
Q-27. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	74	20.00%
B.	No	296	80.00%
TOTALS		370	100.00%
Q-28. During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)			
A.	Yes	52	13.90%
B.	No	322	86.10%
TOTALS		374	100.00%
Q-29. During the past 12 months, have you ever been the victim of teasing, name calling or bullying because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	29	7.73%
B.	No	346	92.27%
TOTALS		375	100.00%
Q-30. Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)			
A.	Yes	28	7.55%
B.	No	343	92.45%
TOTALS		371	100.00%

Q-31. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	79	21.35%
B.	No	291	78.65%
	TOTALS	370	100.00%
Q-32. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	49	13.21%
B.	No	322	86.79%
	TOTALS	371	100.00%
Q-33. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	44	11.83%
B.	No	328	88.17%
	TOTALS	372	100.00%
Q-34. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	310	83.33%
B.	1 time	47	12.63%
C.	2 or 3 times	12	3.23%
D.	4 or 5 times	0	0.00%
E.	6 or more times	3	0.81%
	TOTALS	372	100.00%
Q-35. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
A.	I did not attempt suicide	317	85.22%
B.	Yes	24	6.45%
C.	No	31	8.33%
	TOTALS	372	100.00%
Q-36. Have you ever tried cigarette smoking, even one or two puffs?			
A.	Yes	111	29.84%
B.	No	261	70.16%
	TOTALS	372	100.00%
Q-37. How old were you when you smoked a whole cigarette for the first time?			
A.	I have never smoked a whole cigarette	278	74.13%
B.	8 years old or younger	14	3.73%
C.	9 or 10 years old	7	1.87%
D.	11 or 12 years old	14	3.73%
E.	13 or 14 years old	29	7.73%
F.	15 or 16 years old	26	6.93%
G.	17 years old or older	7	1.87%
	TOTALS	375	100.00%

Q-38. During the past 30 days, on how many days did you smoke cigarettes?			
A.	0 days	325	86.44%
B.	1 or 2 days	13	3.46%
C.	3 to 5 days	9	2.39%
D.	6 to 9 days	5	1.33%
E.	10 to 19 days	7	1.86%
F.	20 to 29 days	3	0.80%
G.	All 30 days	14	3.72%
	TOTALS	376	100.00%
Q-39. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
A.	I did not smoke cigarettes during the past 30 days	322	86.56%
B.	Less than 1 cigarette per day	14	3.76%
C.	1 cigarette per day	5	1.34%
D.	2 to 5 cigarettes per day	18	4.84%
E.	6 to 10 cigarettes per day	8	2.15%
F.	11 to 20 cigarettes per day	3	0.81%
G.	More than 20 cigarettes per day	2	0.54%
	TOTALS	372	100.00%
Q-40. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)			
A.	I did not smoke cigarettes during the past 30 days	326	87.40%
B.	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	10	2.68%
C.	I bought them from a vending machine	2	0.54%
D.	I gave someone else money to buy them for me	12	3.22%
E.	I borrowed (or bummed) them from someone else	10	2.68%
F.	A person 18 years old or older gave them to me	6	1.61%
G.	I took them from a store or family member	2	0.54%
H.	I got them some other way	5	1.34%
	TOTALS	373	100.00%
Q-41. During the past 30 days, on how many days did you smoke cigarettes on school property?			
A.	0 days	350	94.34%
B.	1 or 2 days	9	2.43%
C.	3 to 5 days	5	1.35%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	2	0.54%
F.	20 to 29 days	0	0.00%
G.	All 30 days	5	1.35%
	TOTALS	371	100.00%
Q-42. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?			
A.	Yes	39	10.60%
B.	No	329	89.40%
	TOTALS	368	100.00%

Q-43. During the past 12 months, did you ever try to quit smoking cigarettes?			
A.	I did not smoke during the past 12 months	306	82.26%
B.	Yes	35	9.41%
C.	No	31	8.33%
	TOTALS	372	100.00%
Q-44. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
A.	0 days	317	85.22%
B.	1 or 2 days	15	4.03%
C.	3 to 5 days	7	1.88%
D.	6 to 9 days	7	1.88%
E.	10 to 19 days	8	2.15%
F.	20 to 29 days	5	1.34%
G.	All 30 days	13	3.49%
	TOTALS	372	100.00%
Q-45. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?			
A.	0 days	341	91.18%
B.	1 or 2 days	11	2.94%
C.	3 to 5 days	10	2.67%
D.	6 to 9 days	4	1.07%
E.	10 to 19 days	1	0.27%
F.	20 to 29 days	2	0.53%
G.	All 30 days	5	1.34%
	TOTALS	374	100.00%
Q-46. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	314	84.41%
B.	1 or 2 days	29	7.80%
C.	3 to 5 days	9	2.42%
D.	6 to 9 days	9	2.42%
E.	10 to 19 days	6	1.61%
F.	20 to 29 days	2	0.54%
G.	All 30 days	3	0.81%
	TOTALS	372	100.00%
Q-47. During your life, on how many days have you had at least one drink of alcohol?			
A.	0 days	137	36.93%
B.	1 or 2 days	41	11.05%
C.	3 to 9 days	65	17.52%
D.	10 to 19 days	39	10.51%
E.	20 to 39 days	38	10.24%
F.	40 to 99 days	26	7.01%
G.	100 or more days	25	6.74%
	TOTALS	371	100.00%

Q-48. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	158	42.13%
B.	8 years old or younger	16	4.27%
C.	9 or 10 years old	12	3.20%
D.	11 or 12 years old	21	5.60%
E.	13 or 14 years old	78	20.80%
F.	15 or 16 years old	76	20.27%
G.	17 years old or older	14	3.73%
	TOTALS	375	100.00%
Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	249	66.94%
B.	1 or 2 days	55	14.78%
C.	3 to 5 days	37	9.95%
D.	6 to 9 days	20	5.38%
E.	10 to 19 days	4	1.08%
F.	20 to 29 days	2	0.54%
G.	All 30 days	5	1.34%
	TOTALS	372	100.00%
Q-50. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?			
A.	0 days	353	94.64%
B.	1 or 2 days	11	2.95%
C.	3 to 5 days	5	1.34%
D.	6 to 9 days	1	0.27%
E.	10 to 19 days	1	0.27%
F.	20 to 29 days	0	0.00%
G.	All 30 days	2	0.54%
	TOTALS	373	100.00%
Q-51. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
A.	0 days	283	75.47%
B.	1 day	27	7.20%
C.	2 days	31	8.27%
D.	3 to 5 days	20	5.33%
E.	6 to 9 days	7	1.87%
F.	10 to 19 days	2	0.53%
G.	20 or more days	5	1.33%
	TOTALS	375	100.00%

Q-52. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	253	68.19%
B.	1 or 2 drinks	30	8.09%
C.	3 drinks	10	2.70%
D.	4 drinks	11	2.96%
E.	5 drinks	17	4.58%
F.	6 or 7 drinks	18	4.85%
G.	8 or 9 drinks	6	1.62%
H.	10 or more drinks	26	7.01%
TOTALS		371	100.00%

Q-53. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	253	67.83%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	9	2.41%
C.	I bought it at a restaurant, bar, or club	2	0.54%
D.	I bought it at a public event such as a concert or sporting event	2	0.54%
E.	I gave someone else money to buy it for me	40	10.72%
F.	Someone gave it to me	33	8.85%
G.	I took it from a store or family member	8	2.14%
H.	I got it some other way	26	6.97%
TOTALS		373	100.00%

Q-54. During your life, how many times have you used marijuana?			
A.	0 times	243	65.15%
B.	1 or 2 times	33	8.85%
C.	3 to 9 times	16	4.29%
D.	10 to 19 times	11	2.95%
E.	20 to 39 times	16	4.29%
F.	40 to 99 times	9	2.41%
G.	100 or more times	45	12.06%
TOTALS		373	100.00%

Q-55. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	239	64.42%
B.	8 years old or younger	7	1.89%
C.	9 or 10 years old	6	1.62%
D.	11 or 12 years old	14	3.77%
E.	13 or 14 years old	41	11.05%
F.	15 or 16 years old	54	14.56%
G.	17 years old or older	10	2.70%
TOTALS		371	100.00%

Q-56. During the past 30 days, how many times did you use marijuana?

A.	0 times	304	81.50%
B.	1 or 2 times	14	3.75%
C.	3 to 9 times	11	2.95%
D.	10 to 19 times	13	3.49%
E.	20 to 39 times	9	2.41%
F.	40 or more times	22	5.90%
TOTALS		373	100.00%

Q-57. During the past 30 days, how many times did you use marijuana on school property?

A.	0 times	351	94.10%
B.	1 or 2 times	10	2.68%
C.	3 to 9 times	4	1.07%
D.	10 to 19 times	3	0.80%
E.	20 to 39 times	0	0.00%
F.	40 or more times	5	1.34%
TOTALS		373	100.00%

Q-58. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	333	91.48%
B.	1 or 2 times	11	3.02%
C.	3 to 9 times	10	2.75%
D.	10 to 19 times	3	0.82%
E.	20 to 39 times	0	0.00%
F.	40 or more times	7	1.92%
TOTALS		364	100.00%

Q-59. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	337	90.35%
B.	1 or 2 times	18	4.83%
C.	3 to 9 times	9	2.41%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	9	2.41%
TOTALS		373	100.00%

Q-60. During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?

A.	0 times	351	93.60%
B.	1 or 2 times	10	2.67%
C.	3 to 9 times	4	1.07%
D.	10 to 19 times	3	0.80%
E.	20 to 39 times	0	0.00%
F.	40 or more times	7	1.87%
TOTALS		375	100.00%

Q-61. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	354	95.16%
B.	1 or 2 times	8	2.15%
C.	3 to 9 times	4	1.08%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	6	1.61%
	TOTALS	372	100.00%
Q-62. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
A.	0 times	346	92.02%
B.	1 or 2 times	11	2.93%
C.	3 to 9 times	6	1.60%
D.	10 to 19 times	3	0.80%
E.	20 to 39 times	1	0.27%
F.	40 or more times	9	2.39%
	TOTALS	376	100.00%
Q-63. During your life, how many times have you used ecstasy (also called MDMA)?			
A.	0 times	341	90.69%
B.	1 or 2 times	17	4.52%
C.	3 to 9 times	6	1.60%
D.	10 to 19 times	3	0.80%
E.	20 to 39 times	3	0.80%
F.	40 or more times	6	1.60%
	TOTALS	376	100.00%
Q-64. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	353	95.15%
B.	1 or 2 times	6	1.62%
C.	3 to 9 times	2	0.54%
D.	10 to 19 times	1	0.27%
E.	20 to 39 times	1	0.27%
F.	40 or more times	8	2.16%
	TOTALS	371	100.00%
Q-65. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?			
A.	0 times	321	85.60%
B.	1 or 2 times	16	4.27%
C.	3 to 9 times	13	3.47%
D.	10 to 19 times	6	1.60%
E.	20 to 39 times	8	2.13%
F.	40 or more times	11	2.93%
	TOTALS	375	100.00%

Q-66. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	360	96.77%
B.	1 time	6	1.61%
C.	2 or more times	6	1.61%
TOTALS		372	100.00%
Q-67. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	69	18.60%
B.	No	302	81.40%
TOTALS		371	100.00%
Q-68. Have you ever had sexual intercourse?			
A.	Yes	158	42.47%
B.	No	214	57.53%
TOTALS		372	100.00%
Q-69. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	220	58.98%
B.	11 years old or younger	13	3.49%
C.	12 years old	8	2.14%
D.	13 years old	11	2.95%
E.	14 years old	27	7.24%
F.	15 years old	47	12.60%
G.	16 years old	27	7.24%
H.	17 years old or older	20	5.36%
TOTALS		373	100.00%
Q-70. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	224	60.22%
B.	1 person	57	15.32%
C.	2 people	26	6.99%
D.	3 people	15	4.03%
E.	4 people	13	3.49%
F.	5 people	7	1.88%
G.	6 or more people	30	8.06%
TOTALS		372	100.00%

Q-71. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	228	61.13%
B.	I have had sexual intercourse, but not during the past 3 months	37	9.92%
C.	1 person	81	21.72%
D.	2 people	14	3.75%
E.	3 people	4	1.07%
F.	4 people	1	0.27%
G.	5 people	1	0.27%
H.	6 or more people	7	1.88%
	TOTALS	373	100.00%
Q-72. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	225	60.98%
B.	Yes	42	11.38%
C.	No	102	27.64%
	TOTALS	369	100.00%
Q-73. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	223	60.76%
B.	Yes	81	22.07%
C.	No	63	17.17%
	TOTALS	367	100.00%
Q-74. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	223	59.95%
B.	No method was used to prevent pregnancy	24	6.45%
C.	Birth control pills	23	6.18%
D.	Condoms	72	19.35%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	2	0.54%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	10	2.69%
G.	Withdrawal or some other method	10	2.69%
H.	Not sure	8	2.15%
	TOTALS	372	100.00%
Q-75. How do you describe your weight?			
A.	Very underweight	15	4.07%
B.	Slightly underweight	39	10.57%
C.	About the right weight	219	59.35%
D.	Slightly overweight	82	22.22%
E.	Very overweight	14	3.79%
	TOTALS	369	100.00%

Q-76. Which of the following are you trying to do about your weight?			
A.	Lose weight	147	39.30%
B.	Gain weight	67	17.91%
C.	Stay the same weight	85	22.73%
D.	I am not trying to do anything about my weight	75	20.05%
TOTALS		374	100.00%
Q-77. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?			
A.	Yes	47	12.63%
B.	No	325	87.37%
TOTALS		372	100.00%
Q-78. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not count meal replacement products such as Slim Fast.)			
A.	Yes	19	5.14%
B.	No	351	94.86%
TOTALS		370	100.00%
Q-79. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?			
A.	Yes	20	5.48%
B.	No	345	94.52%
TOTALS		365	100.00%
Q-80. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	85	22.79%
B.	1 to 3 times during the past 7 days	143	38.34%
C.	4 to 6 times during the past 7 days	64	17.16%
D.	1 time per day	35	9.38%
E.	2 times per day	20	5.36%
F.	3 times per day	11	2.95%
G.	4 or more times per day	15	4.02%
TOTALS		373	100.00%
Q-81. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	18	4.85%
B.	1 to 3 times during the past 7 days	101	27.22%
C.	4 to 6 times during the past 7 days	94	25.34%
D.	1 time per day	56	15.09%
E.	2 times per day	64	17.25%
F.	3 times per day	22	5.93%
G.	4 or more times per day	16	4.31%
TOTALS		371	100.00%

Q-82. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	91	24.59%
B.	1 to 3 times during the past 7 days	139	37.57%
C.	4 to 6 times during the past 7 days	68	18.38%
D.	1 time per day	41	11.08%
E.	2 times per day	17	4.59%
F.	3 times per day	7	1.89%
G.	4 or more times per day	7	1.89%
	TOTALS	370	100.00%
Q-83. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	112	29.95%
B.	1 to 3 times during the past 7 days	182	48.66%
C.	to 6 times during the past 7 days	47	12.57%
D.	1 time per day	13	3.48%
E.	2 times per day	7	1.87%
F.	3 times per day	4	1.07%
G.	4 or more times per day	9	2.41%
	TOTALS	374	100.00%
Q-84. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	117	31.37%
B.	1 to 3 times during the past 7 days	173	46.38%
C.	4 to 6 times during the past 7 days	44	11.80%
D.	1 time per day	21	5.63%
E.	2 times per day	13	3.49%
F.	3 times per day	0	0.00%
G.	4 or more times per day	5	1.34%
	TOTALS	373	100.00%
Q-85. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	46	12.50%
B.	1 to 3 times during the past 7 days	133	36.14%
C.	4 to 6 times during the past 7 days	105	28.53%
D.	1 time per day	40	10.87%
E.	2 times per day	31	8.42%
F.	3 times per day	7	1.90%
G.	4 or more times per day	6	1.63%
	TOTALS	368	100.00%

Q-86. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	123	33.15%
B.	1 to 3 times during the past 7 days	131	35.31%
C.	4 to 6 times during the past 7 days	51	13.75%
D.	1 time per day	31	8.36%
E.	2 times per day	15	4.04%
F.	3 times per day	10	2.70%
G.	4 or more times per day	10	2.70%
TOTALS		371	100.00%

Q-87. During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

A.	I did not drink diet soda or pop during the past 7 days	247	66.58%
B.	1 to 3 times during the past 7 days	67	18.06%
C.	4 to 6 times during the past 7 days	25	6.74%
D.	1 time per day	18	4.85%
E.	2 times per day	3	0.81%
F.	3 times per day	5	1.35%
G.	4 or more times per day	6	1.62%
TOTALS		371	100.00%

Q-88. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk serve at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	61	16.76%
B.	1 to 3 glasses during the past 7 days	84	23.08%
C.	4 to 6 glasses during the past 7 days	52	14.29%
D.	1 glass per day	58	15.93%
E.	2 glasses per day	57	15.66%
F.	3 glasses per day	31	8.52%
G.	4 or more glasses per day	21	5.77%
TOTALS		364	100.00%

Q-89. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	41	10.99%
B.	1 day	22	5.90%
C.	2 days	34	9.12%
D.	3 days	27	7.24%
E.	4 days	40	10.72%
F.	5 days	33	8.85%
G.	6 days	29	7.77%
H.	7 days	147	39.41%
TOTALS		373	100.00%

Q-90. During the past 30 days, how often did you go hungry because there was not enough food in your home?			
A.	Never	284	77.38%
B.	Rarely	52	14.17%
C.	Sometimes	24	6.54%
D.	Most of the time	3	0.82%
E.	Always	4	1.09%
TOTALS		367	100.00%
Q-91. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	35	9.72%
B.	1 day	21	5.83%
C.	2 days	23	6.39%
D.	3 days	31	8.61%
E.	4 days	47	13.06%
F.	5 days	48	13.33%
G.	6 days	44	12.22%
H.	7 days	111	30.83%
TOTALS		360	100.00%
Q-92. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	66	17.93%
B.	Less than 1 hour per day	84	22.83%
C.	1 hour per day	70	19.02%
D.	2 hours per day	77	20.92%
E.	3 hours per day	41	11.14%
F.	4 hours per day	20	5.43%
G.	5 or more hours per day	10	2.72%
TOTALS		368	100.00%
Q-93. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.)			
A.	I do not play video or computer games or use a computer for something that is not school work	63	17.12%
B.	Less than 1 hour per day	70	19.02%
C.	1 hour per day	83	22.55%
D.	2 hours per day	68	18.48%
E.	3 hours per day	38	10.33%
F.	4 hours per day	18	4.89%
G.	5 or more hours per day	28	7.61%
TOTALS		368	100.00%

Q-94. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	157	42.32%
B.	1 day	12	3.23%
C.	2 days	26	7.01%
D.	3 days	128	34.50%
E.	4 days	25	6.74%
F.	5 days	23	6.20%
	TOTALS	371	100.00%
Q-95. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	78	21.31%
B.	1 team	92	25.14%
C.	2 teams	91	24.86%
D.	3 or more teams	105	28.69%
	TOTALS	366	100.00%
Q-96. Have you ever been taught about AIDS or HIV infection in school?			
A.	Yes	263	71.27%
B.	No	68	18.43%
C.	Not sure	38	10.30%
	TOTALS	369	100.00%
Q-97. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	101	27.45%
B.	No	252	68.48%
C.	Not sure	15	4.08%
	TOTALS	368	100.00%
Q-98. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)			
A.	0 times	314	85.33%
B.	1 or 2 times	18	4.89%
C.	3 to 9 times	22	5.98%
D.	10 to 19 times	4	1.09%
E.	20 to 39 times	2	0.54%
F.	40 or more times	8	2.17%
	TOTALS	368	100.00%
Q-99. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?			
A.	Yes	55	15.24%
B.	No	306	84.76%
	TOTALS	361	100.00%